



PCT/GB 2004 / 0 0 1 1 3 6



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

**PRIORITY  
DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

REC'D 20 APR 2004


WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated


*P. Mahoney*  
8 April 2004

# The Patent Office

20MAR03 E793579-4: D01038  
P01/7700 0.00-0306317/9

## Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1. Your reference

50024/P708598GB/JG/SAC

2. Patent application number

(The Patent Office will fill in this part)

0306317.9

19 MAR 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

McCain Foods (GB) Limited  
Havers Hill  
Scarborough  
North Yorkshire  
YO11 3BS  
United Kingdom

621 06 78002

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

GB

4. Title of the invention

Potato Based Food Product

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

WITHERS & ROGERS  
Goldings House  
2 Hays Lane  
London  
SE1 2HW

Patents ADP number (if you know it)

1776001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

YES

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 9 *14*  
Claim(s)  
Abstract  
Drawing (s)

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

*Chris A. D.*

WITHERS & ROGERS

Date 18 March 2003

12. Name and daytime telephone number of person to contact in the United Kingdom James Gray 01926 336111

**Warning**

*After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least six weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.*

**Notes**

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500 505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

P708598GB

## Potato Based Food Product

5 The present invention relates to the preparation of a food product and in particular to the preparation of a potato based food product.

10 One method of preparing par-cooked potato product, such as chips or fries, is to wash, cut and blanch the raw potato, dry the blanched potato pieces by about 10% and par fry the pieces in oil for around 3 minutes at a temperature of about 140 °C. The chips are subsequently cooled and bagged ready for chilling or freezing. The par-cooked chips or fries are typically fried in oil once again by the end consumer to complete the cooking process. This method permits the rapid preparation of chips or fries by the end user, which fries or chips have an acceptable taste and mouth feel. The oil frying steps results in chips or fries with a relatively high fat content which it would be desirable to  
15 reduce.

According to the present invention there is provided a method of preparing a potato based food product, the method comprising the steps of:

20 processing potatoes into potato articles having a desired size and shape,  
blanching said potato articles,  
dipping said blanched potato articles in a solution to prevent non-enzymic oxidation of the potato articles,  
drying said potato articles,  
coating said potato articles in an emulsion containing starch, oil, salt and  
25 colouring,  
introducing said coated articles into a hot air environment; and  
removing said articles from said hot air environment.

30 The step of processing said potatoes typically comprises steam peeling, trimming to remove any defects and cutting to a desired size. Preferably the potatoes are cut into elongate sticks known variously as chips or fries. Chips typically have a substantially

square cross-section of between 8 mm to 15 mm. In a preferred embodiment the potatoes are cut into a chip size 11.2 mm by 11.2 mm (15/32 of an inch by 15/32 of an inch).

- 5 The step of blanching the articles preferably comprises immersing the potato articles in a heated water bath for a period of time. The blanching temperature may be in the range of 70 °C to 95 °C. The blanching time may be in the range of 5 minutes to 20 minutes. It will be appreciated that the blanching temperature and time will be at least partially dependent on such factors as the potato variety and the size of the potato  
10 articles.

The step of dipping said blanched potato articles in a solution to prevent non-enzymic oxidation of the potato articles may comprise immersing the articles in a Sodium Acid Pyrophosphate solution. The solution may comprise 1% Sodium Acid Pyrophosphate.

- 15 The solution may be at a temperature of 65 °C and the articles may be immersed for a time period of around 60 seconds.

- The step of drying the blanched and dipped potato articles may in one embodiment comprise introducing the articles into an elevated temperature environment. In such an  
20 embodiment the articles may be introduced into a warm air environment such as a drying oven. The elevated temperature may be in the range of 90 °C to 120 °C. The articles may be dried for a time period of around 4 minutes and may during this drying step experience a drying weight loss of around 4.5%.

- 
- 25 ~~Alternatively the blanched and dipped potato articles may be allowed to dry at ambient temperature. In such an embodiment the articles may be allowed to dry at ambient temperature for around ten minutes.~~

- 30 The step of coating the articles may be achieved by any suitable means such as, for example, an appropriately configured enrobing device. The starch containing emulsion also includes oil and salt. The emulsion may include more than one kind of starch. The

emulsion preferably also includes a colouring. The colouring may preferably include paprika.

5 In one embodiment the emulsion may comprise a mixture comprising water, oil, starch, colouring, emulsifier, stabilizer and salt. In such an embodiment the oil may be sunflower oil and the starch Hylon V11. The colouring may comprise turmeric and paprika. The emulsifier may comprise Hamultop 391 emulsifier and the stabilizer H0w 1 stabilizer. The emulsion in such an embodiment may comprises the above referenced components in the following proportions:

10

Water	53.00% - 60.00%
Sunflower Oil	24.00% - 28.00%
Starch (Hylon V11)	10.00% - 12.00%
Tumeric	0.01% - 0.10%
15 Liquid Paprika	0.01% - 0.10%
Hamultop 391 emulsifier	0.80% - 1.00%
H0w 1 stabiliser	0.10% - 0.30%
Salt	4.00% - 6.00%

20 In an alternative embodiment the emulsion may comprise a mixture comprising water, oil, starch, flour, dextrin, gum, Sodium Bicarbonate, salt, colouring, oil, Sodium Acid Pyrophosphate and dextrose. The starch element may comprise more than one type of starch. In such an embodiment the starch element of the emulsion may comprise a combination of potato starch and maize starch. The gum may comprise a combination

25 of more than one gum. In such an embodiment the gum may comprise a combination of Guar gum and Xantham gum. The colouring may comprise a combination of Tumeric and Paprika. More specifically the emulsion may comprise a combination of modified potato starch, rice flour, potato dextrin, maize starch, xantham gum, sodium bicarbonate, puron AG, salt, turmeric extract powder, paprika oleoresin, vegetable oil,

30 dextrose and guar gum. The emulsion in such an embodiment may comprises the above referenced components in the following proportions:

	Water	48.00% - 54.00%
	Sunflower oil	13.00% - 16.00%
	Modified Potato Starch E1412	9.00% - 11.00%
	Rice Flour	5.00% - 7.00%
5	Potato Dextrin	9.00% - 11.00%
	Maize Starch	4.00% - 6.00%
	Xanthan Gum	0.01% - 0.10%
	Sodium Bicarbonate	0.30% - 0.40%
	Puron AG	0.40% - 0.50%
10	Salt	1.00% - 2.00%
	Tumeric Extract Powder	0.01% - 0.10%
	Paprika Oleoresin	0.01% - 0.10%
	Vegetable Oil	0.01% - 0.10%
	Dextrose	0.30% - 0.40%
15	Guar Gum	0.01% - 0.10%

The coating of the articles may be quantified with reference to the pick-up percentage by weight of the emulsion by the potato articles. The pick up percentage may be in the range of 5% to 20%. More preferably the pick up percentage may be in the range of 6% to 17%.

The method may optionally include the additional step of drying the potato articles for a second time after they have been coated in the emulsion. This second drying step may comprise introducing the coated articles into a warm air environment. The articles may be dried at a temperature of between 100 °C and 130 °C. More preferably the coated articles may be dried at a temperature of between 105 °C and 120 °C. In one embodiment the articles may be dried for a period of between 20 to 35 minutes. In an alternative embodiment the articles may be dried for 20 minutes. The second drying step may be quantified with reference to the weight loss of the coated articles during drying thereof. the drying loss by weight may be in the region of 10% to 25% and more preferably in the range of 12% to 20%.

The final step of introducing the coated articles into a hot air environment may comprises introducing the coated articles into an impingement oven. The hot air environment may have a temperature of between 240 °C to 285 °C. The coated articles may be kept in the environment for a period of between 3 to 6 minutes. Again this heating step may be quantified with reference to the weight loss of the coated articles. Preferably the articles experience a weight loss of between 20% to 27%.

According to a second aspect of the present invention there is provided a coating for a potato article the coating comprising an emulsion containing oil, starch, salt and colouring.

In one embodiment the emulsion may comprise a mixture comprising water, oil, starch, colouring, emulsifier, stabilizer and salt. In such an embodiment the oil may be sunflower oil and the starch Hylon V11. The colouring may comprise turmeric and paprika. The emulsifier may comprise Hamultop 391 emulsifier and the stabilizer H0w 1 stabilizer. The emulsion in such an embodiment may comprises the above referenced components in the following proportions:

	Water	53.00% - 60.00%
20	Sunflower Oil	24.00% - 28.00%
	Starch (Hylon V11)	10.00% - 12.00%
	Tumeric	0.01% - 0.10%
	Liquid Paprika	0.01% - 0.10%
	Hamultop 391 emulsifier	0.80% - 1.00%
25	H0w 1 stabiliser	0.10% - 0.30%
	Salt	4.00% - 6.00%

In an alternative embodiment the emulsion may comprise a mixture comprising water, oil, starch, flour, dextrin, gum, Sodium Bicarbonate, salt, colouring, oil, Sodium Acid Pyrophosphate and dextrose. The starch element may comprise more than one type of starch. In such an embodiment the starch element of the emulsion may comprise a combination of potato starch and maize starch. The gum may comprise a combination



of more than one gum. In such an embodiment the gum may comprise a combination of Guar gum and Xantham gum. The colouring may comprise a combination of Tumeric and Paprika. More specifically the emulsion may comprise a combination of modified potato starch, rice flour, potato dextrin, maize starch, xantham gum, sodium bicarbonate, puron AG, salt, turmeric extract powder, paprika oleoresin, vegetable oil, dextrose and guar gum. The emulsion in such an embodiment may comprises the above referenced components in the following proportions:

	Water	48.00% - 54.00%
10	Sunflower oil	13.00% - 16.00%
	Modified Potato Starch E1412	9.00% - 11.00%
	Rice Flour	5.00% - 7.00%
	Potato Dextrin	9.00% - 11.00%
	Maize Starch	4.00% - 6.00%
15	Xantham Gum	0.01% - 0.10%
	Sodium Bicarbonate	0.30% - 0.40%
	Puron AG	0.40% - 0.50%
	Salt	1.00% - 2.00%
	Tumeric Extract Powder	0.01% - 0.10%
20	Paprika Oleoresin	0.01% - 0.10%
	Vegetable Oil	0.01% - 0.10%
	Dextrose	0.30% - 0.40%
	Guar Gum	0.01% - 0.10%

25 Embodiments of the present invention will now be described by way of illustrative examples.

#### EXAMPLE 1

----- 30 -- Maris Piper potatoes are steam-peeled, trimmed to remove any defects and cut into a desired chip size. Typical examples being chips having a cross section of 11.2 mm by 11.2 mm (15/32 of an inch by 15/32 of an inch).

The chips are then blanched in water at a temperature of around 75°C for 6 minutes.

After blanching the chips are dipped in an aqueous solution containing 1% Puron for 60 seconds at a temperature of around 65°C. Puron is the trade name for Sodium Acid Pyrophosphate and is used to prevent non-enzymic oxidation of the chips.

The dipped chips are then dried in an elevated temperature environment at around 110°C. During this drying step the chips experience a drying loss of around 4.5%, which is to say that the moisture loss during drying of the chips is ascertainable as a 4.5% reduction in pre-drying step weight.

The dried chips are then coated with a batter emulsion having the following composition:

15	Water	53.00% - 60.00%
	Sunflower Oil	24.00% - 28.00%
	Starch (Hylon V11)	10.00% - 12.00%
	Tumeric	0.01% - 0.10%
20	Liquid Paprika	0.01% - 0.10%
	Hamultop 391 emulsifier	0.80% - 1.00%
	H0w 1 stabiliser	0.10% - 0.30%
	Salt	4.00% - 6.00%

25 Coating of the chips is achieved using a batter enrober.

The coated chips are then dried at a temperature of around 120°C. During this second drying step the chips experience a drying loss of 12%.

30 After the second drying the step the coated chips are then partially cooked in an impingement oven at a temperature of between 250°C to 285°C. During this impingement step the chips experience an impingement loss of between 24% and 27%.

The par-cooked chips are then frozen and packaged ready for supply to an end consumer.

- 5 The end consumer completes the cooking process by heating the chips from frozen for between 15 minutes and 18 minutes at a temperature of around 220°C.

### EXAMPLE 2

- 10 As in the example given above, the potatoes are peeled, trimmed and cut into a chip size, having a cross section of 11.2 mm by 11.2 mm (15/32 of an inch by 15/32 of an inch)

The chips are then blanched in water at a temperature of around 85°C for 13 minutes.

15

After blanching the chips are dipped in an aqueous solution containing 1% Puron for 60 seconds at a temperature of around 65°C.

The dipped chips are then dried in an ambient temperature environment.

20

The dried chips are then enrobed with a batter emulsion having the following composition:


	Water	48.00% - 54.00%
25	Sunflower oil	13.00% - 16.00%
	Modified Potato Starch E1412	9.00% - 11.00%
	Rice Flour	5.00% - 7.00%
	Potato Dextrin	9.00% - 11.00%
	Maize Starch	4.00% - 6.00%
30	Xanthan Gum	0.01% - 0.10%
	Sodium Bicarbonate	0.30% - 0.40%
	Puron AG	0.40% - 0.50%

	Salt	1.00% - 2.00%
	Tumeric Extract Powder	0.01% - 0.10%
	Paprika Oleoresin	0.01% - 0.10%
	Vegetable Oil	0.01% - 0.10%
5	Dextrose	0.30% - 0.40%
	Guar Gum	0.01% - 0.10%

After the second drying the step the coated chips are then partially cooked in an impingement oven at a temperature of around 285°C. During this impingement step the chips experience an impingement loss of 21.8%

The par-cooked chips are then frozen and packaged ready for supply to an end consumer.

The end consumer completes the cooking process by heating the chips from frozen for 15 minutes at a temperature of around 220°C.



PCT/GB2004/001136

